

A0-PP-1000



PAM-100 POS



5MP CAMERA

DIRECT NFC

58MM PRINTER

REMOVABLE 3000MAH BATTERY

PAM-100 POS

MOBILE TERMINAL

Operations System: Android 14 GMS Certificated

Cpu Model: MTK Octa-Core Processor

CPU Clock Range: 2.0 GHZ

Ram: 3 GB

Flash: 32 GB

LCD Screen: 5.5 Inch High Definition Full Display

Display Resolution: 720*1440

Backlight: LED

Touch Screen: Capacitive Five-Point touch

Sim Card Bands: 4G: FDD-LTE,TD-LTE | 3G: WCDMA
2G: GSM, GPRS | Hot Spot | Bluetooth

Voice Call: Support

Data: Support

SMS & MMS: Support

WIFI Module: 802.11a/b/g/n, 2.4G+5G

Bluetooth: support BLE5.0

GPS: GPS/AGPS, GLONASS, GALILEO, Internal Antenna

USB: USB 2.0(OTG)



AO-PP-1000

PAM-100 POS

MOBILE THERMINAL

Rear Camera: 5 Mega-Pixel

Speaker: Support

Microphone: Support

Card Slot: 1Nano SIM+1PSAM+1*TF

Physical Button: Power Button x1, Scanner Button

Dimension: 219mm x 80mm x17.9mm

Weight: 380g (One package box including product is 600g)

Battery: Removable Lithium Battery

Battery Capacity: 7.7v 3000mAh

Power Adapter: 5v DC/2A

Directly NFC Reader: Support ISO / IEC 14443 A&B,
Mifare, Felica Card,
Conform To EMV / PBOC PAYPASS
Standard (Option)

Printer: Max. Paper Width: 58mm

Standard Accessories: 1Pc Power Adaptor,
1Pc User Manual,
1Pc USB-Type C Cable,
1 Roll 58mm Thermal Paper

Optional Accessories: Silicon Case, Hand Belt

Temperature: Storage Temperature: -10°C-60°C
Working Temperature 0°C-50°C

A0-PP-1000